



BRAKE FLUID

EXP 600 PLUS SUPER HI-TEMP Racing Brake Fluid

EXP 600 Plus - EXTREME PERFORMANCE
Racing Brake Fluid

EXP 600 Plus is a highly refined blend developed for extreme performance under the high heat and extreme pressure of professional motor sports.

What's in a number?

Some people live and die by the numbers. EXP 600 Plus has tested to 626 degrees F with a wet boiling point to 417F. These numbers far exceed any DOT or SAE specifications.

What's the real test?

It is true that racing fluids need to have high boiling points. It is also true that fluids need to have low moisture affinity to slow the natural absorption rate of water vapor. But the true test of any fluid is how well it resists aeration and

compressibility after it has been heated and pressure cycled a few hundred times. The real test is at the track. EXP has proven to maintain firm pedal feel, and quick response, long after others have failed.

Where's the proof?

A Winston Cup car racing for 500 laps at Martinsville is the most grueling brake test in all of motorsports.

The brakes will be applied up to 1,000 times, plus pit stops, at sustained high heat and repeated high pressure. IRL, CART, ASA, Busch, Craftsman Trucks, and a whole world of other oval and road course competition series also demand extreme performance from their brake systems. EXP 600 Plus has passed the test in every series!

Note: For optimum performance, EXP 600 Plus should not be diluted with any other brake fluids. Add new fluid to a clean system.

DESCRIPTION	PART NO.
Bottle, 500 ML (16.9 fl oz)	290-6209
Case, 20 each 500 ML Bottles (16.9 fl oz)	290-6210


Hi-Temp° 570 Racing Brake Fluid:

Wilwood's specially formulated Hi-Temp° 570 Racing Brake Fluid has a minimum 570° F dry boiling point to withstand the severe heat requirements of automotive racing. Hi-Temp° 570's low viscosity allows easy bleeding of your brake system, eliminating aeration of the brake fluid caused by foaming due to excessive pumping of the pedal.

Hi-Temp° 570 comes in convenient 12 ounce containers hermetically sealed to guarantee against unwanted absorption of moisture, which can drastically lower the fluids boiling point (fluid from larger containers tends to become contaminated with moisture, lowering its boiling point and making it unsuitable for racing applications).

Available by the bottle, in six-packs or economical 24 bottle cases.

DESCRIPTION	PART NO.
Wilwood Hi-Temp° 570 (24 bottle case)	290-0633
Wilwood Hi-Temp° 570 (12 ounce bottle)	290-0632



WILWOOD

SHIP • RELIABLE PARTS • DEPENDABLE SERVICE • QUALITY CRAFTSMANSHIP • RELIABLE PARTS • DEPENDABLE SERVICE

LEXINGTON MOORESVILLE
1(800)222-6805 • 1(800)615-6759
FAX: 1(336)249-4922 • www.centralhp.com



328

